


SUMMARY SPECIFICATIONS ARRAY MODULAR
MODEL **M31002** STRAIGHT ARMLESS SEGMENT




Unit Weight: 39 lbs.

FRAMES: Frame structure is made from commercial grade, non-rusting aluminum. Finish is a polyester powder coating that has been baked on the frame at high temperatures providing an extremely durable, weather resistant finish. This frame design is "modular" allowing them to be joined together in limitless configurations and held together with nylon clips that keep the pieces stationary. Seat/Cushion support utilizes aluminum straps for support. Back cushion attaches to frame with "Fast Track"- fabric sleeve with spline inserted into aluminum channel on back frame- slide in and slide out.

FABRIC: Our acrylic fabrics are created by leading outdoor fabric manufacturers and are UV tested for exterior use. Woven vinyl fabrics (used primarily as sling material) are made from weather weave, an open weave, vinyl-coated, polyester fiber fabric. Ultraviolet stabilizers have been added to inhibit fading, deterioration and mildew.

Texacraft® reserves the right to make minor changes or modifications and to discontinue finish color, strap color, fabrics, or styles without notice. Measurements given are approximate. Information provided is as accurate as possible.

SUMMARY SPECIFICATIONS ARRAY MODULAR
MODEL **M31004** LOUNGE CHAIR




Unit Weight: 47 lbs.

FRAMES: Frame structure is made from commercial grade, non-rusting aluminum. Finish is a polyester powder coating that has been baked on the frame at high temperatures providing an extremely durable, weather resistant finish. This frame design is "modular" allowing them to be joined together in limitless configurations and held together with nylon clips that keep the pieces stationary. Seat/Cushion support utilizes aluminum straps for support. Back cushion attaches to frame with "Fast Track"- fabric sleeve with spline inserted into aluminum channel on back frame- slide in and slide out.

FABRIC: Our acrylic fabrics are created by leading outdoor fabric manufacturers and are UV tested for exterior use. Woven vinyl fabrics (used primarily as sling material) are made from weather weave, an open weave, vinyl-coated, polyester fiber fabric. Ultraviolet stabilizers have been added to inhibit fading, deterioration and mildew.


Texacraft® reserves the right to make minor changes or modifications and to discontinue finish color, strap color, fabrics, or styles without notice. Measurements given are approximate. Information provided is as accurate as possible.

SUMMARY SPECIFICATIONS ARRAY MODULAR
MODEL **M31007** SQUARE COCKTAIL TABLE

Unit Weight: 33 lbs.

FRAMES: Frame structure is made from commercial grade, non-rusting aluminum. Finish is a polyester powder coating that has been baked on the frame at high temperatures providing an extremely durable, weather resistant finish. The table top is created from 3/16" solid aluminum.

Texacraft® reserves the right to make minor changes or modifications and to discontinue finish color, strap color, fabrics, or styles without notice. Measurements given are approximate. Information provided is as accurate as possible.

SUMMARY SPECIFICATIONS ARRAY MODULAR
MODEL **M31008** SQUARE OTTOMAN


Unit Weight: 28 lbs.

FRAMES: Frame structure is made from commercial grade, non-rusting aluminum. Finish is a polyester powder coating that has been baked on the frame at high temperatures providing an extremely durable, weather resistant finish. This frame design is "modular" allowing them to be joined together in limitless configurations and held together with nylon clips that keep the pieces stationary. Seat/Cushion support utilizes aluminum straps for support. Back cushion attaches to frame with "Fast Track"- fabric sleeve with spline inserted into aluminum channel on back frame- slide in and slide out.

FABRIC: Our acrylic fabrics are created by leading outdoor fabric manufacturers and are UV tested for exterior use. Woven vinyl fabrics (used primarily as sling material) are made from weather weave, an open weave, vinyl-coated, polyester fiber fabric. Ultraviolet stabilizers have been added to inhibit fading, deterioration and mildew.

Texacraft® reserves the right to make minor changes or modifications and to discontinue finish color, strap color, fabrics, or styles without notice. Measurements given are approximate. Information provided is as accurate as possible.

SUMMARY SPECIFICATIONS ARRAY MODULAR
MODEL **M31028** LOUNGE CHAIR OTTOMAN



Unit Weight: 21 lbs.

FRAMES: Frame structure is made from commercial grade, non-rusting aluminum. Finish is a polyester powder coating that has been baked on the frame at high temperatures providing an extremely durable, weather resistant finish. This frame design is "modular" allowing them to be joined together in limitless configurations and held together with nylon clips that keep the pieces stationary. Seat/Cushion support utilizes aluminum straps for support. Back cushion attaches to frame with "Fast Track"- fabric sleeve with spline inserted into aluminum channel on back frame- slide in and slide out.

FABRIC: Our acrylic fabrics are created by leading outdoor fabric manufacturers and are UV tested for exterior use. Woven vinyl fabrics (used primarily as sling material) are made from weather weave, an open weave, vinyl-coated, polyester fiber fabric. Ultraviolet stabilizers have been added to inhibit fading, deterioration and mildew.

Texacraft® reserves the right to make minor changes or modifications and to discontinue finish color, strap color, fabrics, or styles without notice. Measurements given are approximate. Information provided is as accurate as possible.

SUMMARY SPECIFICATIONS ARRAY MODULAR
MODEL **M31032** SQUARE CORNER SEGMENT

Unit Weight: 47 lbs.


*Seat depth is 23.5". Measurement is taken from front edge of cushion to overhang of the back cushion.

FRAMES: Frame structure is made from commercial grade, non-rusting aluminum. Finish is a polyester powder coating that has been baked on the frame at high temperatures providing an extremely durable, weather resistant finish. This frame design is "modular" allowing them to be joined together in limitless configurations and held together with nylon clips that keep the pieces stationary. Seat/Cushion support utilizes aluminum straps for support. Back cushion attaches to frame with "Fast Track"- fabric sleeve with spline inserted into aluminum channel on back frame- slide in and slide out.

FABRIC: Our acrylic fabrics are created by leading outdoor fabric manufacturers and are UV tested for exterior use. Woven vinyl fabrics (used primarily as sling material) are made from weather weave, an open weave, vinyl-coated, polyester fiber fabric. Ultraviolet stabilizers have been added to inhibit fading, deterioration and mildew.

Texacraft® reserves the right to make minor changes or modifications and to discontinue finish color, strap color, fabrics, or styles without notice. Measurements given are approximate. Information provided is as accurate as possible.

SUMMARY SPECIFICATIONS ARRAY MODULAR
MODEL **M31033** CIRCULAR CORNER SEGMENT




Unit Weight: 42 lbs.

*Seat depth is 23.5". Measurement is taken from front corner of cushion to overhang of the back cushion.

FRAMES: Frame structure is made from commercial grade, non-rusting aluminum. Finish is a polyester powder coating that has been baked on the frame at high temperatures providing an extremely durable, weather resistant finish. This frame design is "modular" allowing them to be joined together in limitless configurations and held together with nylon clips that keep the pieces stationary. Seat/Cushion support utilizes aluminum straps for support. Back cushion attaches to frame with "Fast Track"- fabric sleeve with spline inserted into aluminum channel on back frame- slide in and slide out.

FABRIC: Our acrylic fabrics (cushions & umbrellas) are created by leading outdoor fabric manufacturers and are UV tested for exterior use. Woven vinyl fabrics (used primarily as sling material) are made from weather weave, an open weave, vinyl-coated, polyester fiber fabric. Ultraviolet stabilizers have been added to inhibit fading, deterioration and mildew.

Texacraft® reserves the right to make minor changes or modifications and to discontinue finish color, strap color, fabrics, or styles without notice. Measurements given are approximate. Information provided is as accurate as possible.

SUMMARY SPECIFICATIONS ARRAY MODULAR
MODEL **M31035L** DOUBLE LEFT ARM SEGMENT

Unit Weight: 72 lbs.


*Seat depth is 23.5". Measurement is taken from front edge of cushion to overhang of the back cushion.

FRAMES: Frame structure is made from commercial grade, non-rusting aluminum. Finish is a polyester powder coating that has been baked on the frame at high temperatures providing an extremely durable, weather resistant finish. This frame design is "modular" allowing them to be joined together in limitless configurations and held together with nylon clips that keep the pieces stationary. Seat/Cushion support utilizes aluminum straps for support. Back cushion attaches to frame with "Fast Track"- fabric sleeve with spline inserted into aluminum channel on back frame- slide in and slide out.

FABRIC: Our acrylic fabrics are created by leading outdoor fabric manufacturers and are UV tested for exterior use. Woven vinyl fabrics (used primarily as sling material) are made from weather weave, an open weave, vinyl-coated, polyester fiber fabric. Ultraviolet stabilizers have been added to inhibit fading, deterioration and mildew.

Texacraft® reserves the right to make minor changes or modifications and to discontinue finish color, strap color, fabrics, or styles without notice. Measurements given are approximate. Information provided is as accurate as possible.

SUMMARY SPECIFICATIONS ARRAY MODULAR
MODEL **M31035R** DOUBLE RIGHT ARM SEGMENT




Unit Weight: 72 lbs.

*Seat depth is 23.5". Measurement is taken from front edge of cushion to overhang of the back cushion.

FRAMES: Frame structure is made from commercial grade, non-rusting aluminum. Finish is a polyester powder coating that has been baked on the frame at high temperatures providing an extremely durable, weather resistant finish. This frame design is "modular" allowing them to be joined together in limitless configurations and held together with nylon clips that keep the pieces stationary. Seat/Cushion support utilizes aluminum straps for support. Back cushion attaches to frame with "Fast Track"- fabric sleeve with spline inserted into aluminum channel on back frame- slide in and slide out.

FABRIC: Our acrylic fabrics are created by leading outdoor fabric manufacturers and are UV tested for exterior use. Woven vinyl fabrics (used primarily as sling material) are made from weather weave, an open weave, vinyl-coated, polyester fiber fabric. Ultraviolet stabilizers have been added to inhibit fading, deterioration and mildew.


Texacraft® reserves the right to make minor changes or modifications and to discontinue finish color, strap color, fabrics, or styles without notice. Measurements given are approximate. Information provided is as accurate as possible.

SUMMARY SPECIFICATIONS ARRAY MODULAR
MODEL **M31037** QUARTER ROUND COCKTAIL TABLE

Unit Weight: 28 lbs.

FRAMES: Frame structure is made from commercial grade, non-rusting aluminum. Finish is a polyester powder coating that has been baked on the frame at high temperatures providing an extremely durable, weather resistant finish. The table top is created from 3/16" solid aluminum.

Texacraft® reserves the right to make minor changes or modifications and to discontinue finish color, strap color, fabrics, or styles without notice. Measurements given are approximate. Information provided is as accurate as possible.

SUMMARY SPECIFICATIONS ARRAY MODULAR
MODEL **M31038** QUARTER ROUND OTTOMAN


Unit Weight: 25 lbs.

FRAMES: Frame structure is made from commercial grade, non-rusting aluminum. Finish is a polyester powder coating that has been baked on the frame at high temperatures providing an extremely durable, weather resistant finish. This frame design is "modular" allowing them to be joined together in limitless configurations and held together with nylon clips that keep the pieces stationary. Seat/Cushion support utilizes aluminum straps for support. Back cushion attaches to frame with "Fast Track"- fabric sleeve with spline inserted into aluminum channel on back frame- slide in and slide out.

FABRIC: Our acrylic fabrics are created by leading outdoor fabric manufacturers and are UV tested for exterior use. Woven vinyl fabrics (used primarily as sling material) are made from weather weave, an open weave, vinyl-coated, polyester fiber fabric. Ultraviolet stabilizers have been added to inhibit fading, deterioration and mildew.

Texacraft® reserves the right to make minor changes or modifications and to discontinue finish color, strap color, fabrics, or styles without notice. Measurements given are approximate. Information provided is as accurate as possible.

SUMMARY SPECIFICATIONS ARRAY MODULAR
MODEL **M31052** CURVED DOUBLE SEGMENT




Unit Weight: 62 lbs.

*Seat depth is 23.5". Measurement is taken from front edge of cushion to overhang of the back cushion.

FRAMES: Frame structure is made from commercial grade, non-rusting aluminum. Finish is a polyester powder coating that has been baked on the frame at high temperatures providing an extremely durable, weather resistant finish. This frame design is "modular" allowing them to be joined together in limitless configurations and held together with nylon clips that keep the pieces stationary. Seat/Cushion support utilizes aluminum straps for support. Back cushion attaches to frame with "Fast Track"- fabric sleeve with spline inserted into aluminum channel on back frame- slide in and slide out.

FABRIC: Our acrylic fabrics are created by leading outdoor fabric manufacturers and are UV tested for exterior use. Woven vinyl fabrics (used primarily as sling material) are made from weather weave, an open weave, vinyl-coated, polyester fiber fabric. Ultraviolet stabilizers have been added to inhibit fading, deterioration and mildew.

Texacraft® reserves the right to make minor changes or modifications and to discontinue finish color, strap color, fabrics, or styles without notice. Measurements given are approximate. Information provided is as accurate as possible.


SUMMARY SPECIFICATIONS ARRAY MODULAR
MODEL **M31058** CIRCULAR OTTOMAN

Unit Weight: 36 lbs.

FRAMES: Frame structure is made from commercial grade, non-rusting aluminum. Finish is a polyester powder coating that has been baked on the frame at high temperatures providing an extremely durable, weather resistant finish. This frame design is "modular" allowing them to be joined together in limitless configurations and held together with nylon clips that keep the pieces stationary. Seat/Cushion support utilizes aluminum straps for support. Back cushion attaches to frame with "Fast Track"- fabric sleeve with spline inserted into aluminum channel on back frame- slide in and slide out.

FABRIC: Our acrylic fabrics are created by leading outdoor fabric manufacturers and are UV tested for exterior use. Woven vinyl fabrics (used primarily as sling material) are made from weather weave, an open weave, vinyl-coated, polyester fiber fabric. Ultraviolet stabilizers have been added to inhibit fading, deterioration and mildew.


Texacraft® reserves the right to make minor changes or modifications and to discontinue finish color, strap color, fabrics, or styles without notice. Measurements given are approximate. Information provided is as accurate as possible.

SUMMARY SPECIFICATIONS ARRAY MODULAR
MODEL **M31066** OCCASIONAL TABLE

Unit Weight: 6 lbs.

FRAMES: Frame structure is made from commercial grade, non-rusting aluminum. Finish is a polyester powder coating that has been baked on the frame at high temperatures providing an extremely durable, weather resistant finish. The table top is created from 3/16" solid aluminum.

Texacraft® reserves the right to make minor changes or modifications and to discontinue finish color, strap color, fabrics, or styles without notice. Measurements given are approximate. Information provided is as accurate as possible.

SUMMARY SPECIFICATIONS ARRAY MODULAR
MODEL **M31067** RECTANGLE COCKTAIL TABLE

Unit Weight: 21 lbs.

FRAMES: Frame structure is made from commercial grade, non-rusting aluminum. Finish is a polyester powder coating that has been baked on the frame at high temperatures providing an extremely durable, weather resistant finish. The table top is created from 3/16" solid aluminum.

Texacraft® reserves the right to make minor changes or modifications and to discontinue finish color, strap color, fabrics, or styles without notice. Measurements given are approximate. Information provided is as accurate as possible.

SUMMARY SPECIFICATIONS ARRAY MODULAR
MODEL **M31085S/M31085CS/M1304** DAYBED W/CANOPY AND CUSHIONS



Surface mountable
Dual in-line skate wheels

Unit Weight: 176.5 lbs.

FRAMES: Frame structure is made from commercial grade, non-rusting aluminum. Finish is a polyester powder coating that has been baked on the frame at high temperatures providing an extremely durable, weather resistant finish.

End caps are provided to cover the 4 corner extrusions of the base bed if optional canopy (sold separately) is not utilized.

FABRIC: Woven vinyl fabrics (used primarily as sling material) are made from weather weave, an open weave, vinyl-coated, polyester fiber fabric. Ultraviolet stabilizers have been added to inhibit fading, deterioration and mildew. Our acrylic fabrics (cushions and umbrellas) are created by leading outdoor fabric manufacturers and are UV tested for exterior use.

Texacraft® reserves the right to make minor changes or modifications and to discontinue finish color, strap color, fabrics, or styles without notice. Measurements given are approximate. Information provided is as accurate as

SUMMARY SPECIFICATIONS ARRAY MODULAR
MODEL **M31085S/M31085CS** DAYBED W/CANOPYSurface
mountableDual in-line
skate wheels

Unit Weight: 158.5 lbs.

FRAMES: Frame structure is made from commercial grade, non-rusting aluminum. Finish is a polyester powder coating that has been baked on the frame at high temperatures providing an extremely durable, weather resistant finish.

End caps are provided to cover the 4 corner extrusions of the base bed if optional canopy (sold separately) is not utilized.


FABRIC: Woven vinyl fabrics (used primarily as sling material) are made from weather weave, an open weave, vinyl-coated, polyester fiber fabric. Ultraviolet stabilizers have been added to inhibit fading, deterioration and mildew.

Texacraft® reserves the right to make minor changes or modifications and to discontinue finish color, strap color, fabrics, or styles without notice. Measurements given are approximate. Information provided is as accurate as possible.

SUMMARY SPECIFICATIONS ARRAY MODULAR
MODEL **M31085S** DAYBED SLING BASE



End cap
Surface mountable
Dual in-line skate wheels



Unit Weight: 112
lbs.

*Height dimension is taken from middle upright position of the adjustable back.

FRAMES: Frame structure is made from commercial grade, non-rusting aluminum. Finish is a polyester powder coating that has been baked on the frame at high temperatures providing an extremely durable, weather resistant finish.

End caps are provided to cover the 4 corner extrusions of the base bed if optional canopy (sold separately) is not utilized.

FABRIC: Woven vinyl fabrics (used primarily as sling material) are made from weather weave, an open weave, vinyl-coated, polyester fiber fabric. Ultraviolet stabilizers have been added to inhibit fading, deterioration and mildew.

Texacraft® reserves the right to make minor changes or modifications and to discontinue finish color, strap color, fabrics, or styles without notice. Measurements given are approximate. Information provided is as accurate as possible.